

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L1 | 1 | 10/463768 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 18:16 |
| L2 | 2 | 10/135149 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 18:16 |
| L3 | 1 | 08/787891 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 18:17 |
| L4 | 4 | 09/643630 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 18:18 |
| L5 | 2 | 09/887101 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 18:19 |
| S1 | 1 | 10/810503 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:03 |
| S2 | 0 | ("2005/0005139").URPN. | USPAT | OR | ON | 2008/06/08 18:04 |
| S3 | 10 | ("20020174359" "5933498" "6092194" "6101607" "6430549").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:42 |
| S4 | 1658 | 726/26.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:42 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S5 | 2316 | 713/193.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:43 |
| S6 | 169 | 713/193.ccls. and S4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:43 |
| S7 | 5 | S5 and prevent\$ and spyware and list | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:43 |
| S8 | 5 | S5 and prevent\$ and (spyware or adware) and list | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:44 |
| S9 | 157 | S5 and prevent\$4 same install \$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:44 |
| S10 | 0 | S5 and prevent\$4 same install \$4 same spyware | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:45 |
| S11 | 6 | S5 and prevent\$4 same install \$4 same (spyware or adware or malicious) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:45 |
| S12 | 0 | S5 and prevent\$4 same install \$4 same compar\$4 same list | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:46 |
| S13 | 0 | S5 and prevent\$4 same install \$4 same compar\$4 same (list or acl or repository or database) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:47 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S14 | 2 | (\$4 or \$5)and prevent\$4 same install\$4 same compar\$4 same (list or acl or repository or database) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:50 |
| S15 | 12 | (\$5) and prevent\$4 same install \$4 same compar\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 18:52 |
| S16 | 304 | (TSUDA near3 MASAYUKI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:01 |
| S17 | 56 | (ASAI near3 MAO).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:02 |
| S18 | 493 | (WATANABE near3 NOBUYUKI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:02 |
| S19 | 42 | (OI near3 TATSURO).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:03 |
| S20 | 125 | (HATTORI near3 YASUNORI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:03 |
| S21 | 101 | (NISHIDA near3 MASAKAZU).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:04 |
| S22 | 49 | (NARUSE near3 NACKI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:04 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S23 | 225 | (ICHIKAWA near3 YUICHI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:05 |
| S24 | 77 | (TOMIOKA near3 ATSUKI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:05 |
| S25 | 39 | (TAKESHI TA near3 MASATO).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:06 |
| S26 | 1160 | (YAMADA near3 KAZUHIRO).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:06 |
| S27 | 76 | (WASHIO near3 SATOSHI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:07 |
| S28 | 80 | (KAMIYA near3 DAI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:07 |
| S29 | 114 | (YAMANE near3 NAOKI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:07 |
| S30 | 381 | (MURAKAMI near3 KEIICHI).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:08 |
| S31 | 2690 | (S16 S17 S18 S19 S20 S21 S22 S23 S24 S25 S26 S27 S28 S29 S30) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/08 19:09 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S32 | 196 | ((@ad<"20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 same memory) AND (security) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 10:12 |
| S33 | 177 | ((@ad<"20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 same memory) AND (security) AND (protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 10:14 |
| S34 | 138 | ((@ad<"20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 same memory) AND (security) AND (protection) and (restrict\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 11:45 |
| S35 | 0 | S34 not S33 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 11:46 |
| S36 | 52 | ((@ad<"20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 same memory) same (security) AND (protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 11:47 |
| S37 | 0 | ((@ad<"20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 same memory) same (security) AND (semaphore\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:42 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S38 | 28 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 same memory) AND (semaphore\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:44 |
| S39 | 31 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same flag same access\$4) AND (access near5 control\$4 OR ACL same memory) AND (semaphore \$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:44 |
| S40 | 130 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) AND (semaphore\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:47 |
| S41 | 485 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:47 |
| S42 | 485 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) and (flag or semaphor\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:48 |
| S43 | 193 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) same (flag or semaphor\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:49 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S44 | 61 | ((@ad<"20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) same (flag or semaphor\$2) and (security))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 13:49 |
| S45 | 2 | ("2003/0023822").URPN. | USPAT | OR | ON | 2008/06/10 13:50 |
| S46 | 0 | 10/810503 and (trust\$4) | USPAT | OR | ON | 2008/06/10 17:24 |
| S47 | 0 | 10/810503 and (application near2 program) with identifier | USPAT | OR | ON | 2008/06/10 17:26 |
| S48 | 25722 | 10/810503 and (application near2 program) er | USPAT | OR | ON | 2008/06/10 17:26 |
| S49 | 0 | 10/810503 and (application near2 program) | USPAT | OR | ON | 2008/06/10 17:26 |
| S50 | 1 | 10/810503 and (application near2 program) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:27 |
| S51 | 32 | (Java near3 APP) and (flag) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:45 |
| S52 | 25 | ((@ad<"20030328") and (Java near3 APP) and (flag)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:46 |
| S53 | 25 | ((@ad<="20030328") and (Java near3 APP) and (flag)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:46 |
| S54 | 21 | ((@ad<="20030328") and (Java near3 APP) and (flag) and (security or protection)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:46 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S55 | 21 | (@ad<="20030328") and (Java near3 APP) and (flag semaphore) and (security or protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:53 |
| S56 | 0 | (@ad<="20030328") and (Java near3 APP) same (flag semaphore) same (security or protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:54 |
| S57 | 35647 | (@ad<="20030328") and (Java near2 APP or application) and (flag semaphore) and (security or protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:55 |
| S58 | 657 | (@ad<="20030328") and (Java near2 APP or application) same (flag semaphore) same (security or protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:55 |
| S59 | 23 | (@ad<="20030328") and (Java near2 APP or application) same (flag semaphore) same (security or protection) and (ACL) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:55 |
| S60 | 0 | (@ad<="20030328") and (Java near2 APP or application) same (flag semaphore) same (security near protection) and (ACL) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:57 |
| S61 | 0 | (@ad<="20030328") and (Java near2 APP) AND(security near protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 17:58 |
| S62 | 1 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP) AND(security near protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:00 |
| S63 | 2785 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP application) AND(security near protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:00 |

| | | | | | | |
|-----|-----|---|--|----|----|------------------|
| S64 | 551 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP application) SAME (security near protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:01 |
| S65 | 41 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application near program)) SAME (security near protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:01 |
| S66 | 1 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application near program)) SAME (security near protection) same (flag semaphore) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:02 |
| S67 | 15 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application near program)) SAME (security near protection) and (flag semaphore) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:03 |
| S68 | 34 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application near program)) SAME (security near protection) and (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:40 |
| S69 | 666 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application or program)) SAME (security near protection) and (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:46 |
| S70 | 443 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) SAME (security near protection) and (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:47 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S71 | 38 | {@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) SAME (security near protection) SAME (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:47 |
| S72 | 2357 | {@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:49 |
| S73 | 135 | {@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and (ACL) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:49 |
| S74 | 135 | {@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and (ACL) and (security) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:49 |
| S75 | 43 | {@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and (ACL) and java | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 18:50 |
| S76 | 479 | {@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and java | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:03 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S77 | 479 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and java | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:03 |
| S78 | 474 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and java and (terminal device mobile) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:04 |
| S79 | 38 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) and (security near protection) and (flag semaphore identifier indicat\$3) and java and (terminal device mobile) same flag | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:04 |
| S80 | 443 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) same (security near protection) and (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:08 |
| S81 | 2 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) near10 (security near protection) near10 (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:08 |
| S82 | 2 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) near20 (security near protection) near10 (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:09 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S83 | 8 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) near20 (security near protection) same (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:09 |
| S84 | 38 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) same (security near protection) same (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:10 |
| S85 | 114 | (@ad<="20030328" OR @pd<="20030328" OR @rlad<="20030328" OR @prad<="20030328") and (Java near2 APP (application)) data) same (security near protection) same (flag semaphore identifier indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:14 |
| S86 | 76 | S85 not S84 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:14 |
| S87 | 2 | "7124302".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:53 |
| S88 | 1 | "7124302".pn. and (electronic near telephone) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:54 |
| S89 | 47123 | (memory near10 telephone) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:58 |
| S90 | 0 | (memory near10 telephone) near10 (security near2 protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:59 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S91 | 2 | (memory near10 telephone same (security near2 protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 19:59 |
| S92 | 0 | (memory near10 (telephone near2 number)) same (security near2 protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:00 |
| S93 | 37 | (memory near10 (telephone near2 number)) and (security near2 protection) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:00 |
| S94 | 0 | 2005/005139 and (updat\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:45 |
| S95 | 0 | 2005/005139 and (updat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:46 |
| S96 | 0 | "2005005139" and (updat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:46 |
| S97 | 1 | "20050005139" and (updat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:46 |
| S98 | 1 | "7124302".pn. and (electronic near telephone) and updat\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:47 |
| S99 | 2 | "20050005139" and (restrict\$2 near2 code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/10 20:52 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S100 | 0 | "6615329" and ((restrict\$2 near2 code) instruction code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 07:29 |
| S101 | 7 | "6615329" and ((restrict\$2 near2 code) instruction code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 07:31 |
| S102 | 2 | "6615329".pn. and ((restrict\$2 near2 code) instruction code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 07:31 |
| S103 | 1 | "6615329".pn. and ((restrict\$2 near2 code) instruction code) and (updat\$4 chang\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 07:33 |
| S104 | 1 | "6615329".pn. and ((restrict\$2 near2 code) instruction code) and (updat\$4 chang\$4 modif\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 07:38 |
| S105 | 1 | "6615329".pn. and ((restrict\$2 near2 code) instruction code) and (updat\$4 chang\$4 modif\$5) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 07:38 |
| S106 | 80 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) same (flag or semaphor\$2) and (updat\$) and (code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 08:05 |
| S107 | 80 | ((@ad< "20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) same (flag or semaphor\$2) and (updat\$4) and (code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 08:05 |

| | | | | | | |
|------|----|---|---|----|----|---------------------|
| S108 | 25 | (@ad<="20030328") AND ((memory or storage or \$4ROM or RAM or register or \$6drive \$1) near5 (secur\$3 or protect\$4 or restrict\$4 or prevent\$4) same (flag or semaphor\$2) same access\$4) AND (access near5 control\$4 same memory) same (flag or semaphor\$2) and (updat\$4) same (code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/11 08:29 |
|------|----|---|---|----|----|---------------------|

6/ 11/ 2008 7:45:20 PM

H:\cle2\ Real-Case\ 10-810503-TermialDeviceProgram\ 10810503-TermialDeviceProgram.wsp